

According to OSHA HazCom 2012, 29 CFR 1910.1200

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	: STAR BRITE SYNTHETIC 75W90 GEAR LUBE
Product code	: 292XX, 029205; 029255

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Lubricants, greases, release agents.

1.3. Details of the supplier of the safety data sheet

Supplier	:	Star Brite 4041 SW 47th Avenue 33314 Fort Lauderdale, Florida, United States of America
Telephone	:	+1-954 587-6280
E-mail	:	info@starbrite.com
Website	:	http://www.starbrite.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DO US - Telephone : +1-703-527-3887	,	r: (During office hours only)
EMERGENCY TELEPHONE NUMBER (for DOCTORS only): Chemtrec 001 703 5273887		(24/7)
· · · · · · · · · · · · · · · · · · ·		

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification (HCS	:	Skin sensitization, category 1.
§1910.1200)		

2.2. Label elements

Label elements (1910.1200) Hazard pictograms :		
Signal word :	Warning	
H- and P-phrases :	H317 P261 vapour P272 P280 gloves P302+P352 P333+P313 P321 sds P363 P501	May cause an allergic skin reaction. Avoid breathing vapours. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. IF ON SKIN: Wash with plenty of water/soap. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see section 4 on the SDS). Wash contaminated clothing before reuse. Dispose of contents/container to an official chemical waste depot.



SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w%)	CAS nr.	Additional CAS	Hazards
			nr.	
Polysulfides	1 - < 5	Trade secret		Flam. Liq. 4; H227
				Skin Sens. 1B; H317
				Aquatic Acute 1; H400
				Aquatic Chronic 1; H410
Distillates (petroleum), hydrotreated	0,1 - < 1	64742-54-7		Asp. Tox. 1; H304
heavy paraffinic				

Occupational exposure limit(s), if relevant, are listed in section 8. Any concentration shown as a range is to protect confidentiality or is due to batch variations.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.
	Consult a doctor if irritation occurs.
Eye contact	: Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
Ingestion	: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness.
Skin contact	: May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
Eye contact	: May cause stinging of eyes and redness.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Foam. Dry chemical. Water fog.
Not suitable	: Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture



Special exposure hazards : None known. Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs. decomposition products

5.3. Advice for firefighters

Special protective equipment for fire-fighters NFPA hazard rating



SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with Personal precautions spilled or released material.

: Use adequate respiratory equipment in case of insufficient ventilation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

: Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an Methods for cleaning up authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.
Recommended packaging	: Keep only in the original container.
Non recommended	: PE and PP.
packaging	

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Product name Date of issue



8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. limits

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Distillates (petroleum),	US	5	10	Mist	NIOSH
hydrotreated heavy paraffinic					
Distillates (petroleum),	US	5	-	Mist	OSHA
hydrotreated heavy paraffinic					
Distillates (petroleum),	US	5	-	inhalable particulate matter	ACGIH
hydrotreated heavy paraffinic					

8.2. Exposure controls

Engineering measures

: Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures

: When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection	: Wear appropriate protective clothing, overalls or suit, and similar boots. Suitable material: nitril.
	Indication of permeation breakthrough time: 6 hours.
Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure.
	Suitable: gas filter type A (brown), class I or higher on e.g. a facemask.
Hand protection	: Wear appropriate safety gloves. Suitable material: nitril. ± 0,5 mm. Indication of permeation
-	breakthrough time: 6 hours.
Eye protection	: Wear appropriate safety glasses with side shields when there is danger of possible eye contact.
J - -	

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold	: Liquid. : Amber. : Characteristic. : Not known.	
рН	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-	: Not applicable.	Not measured. Not relevant for mixtures.
octanol/water)		
Flash point	: 198 °C	Cleveland Open Cup (ASTM D92).
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 424 °C	
Boiling point/boiling range	: >100 °C	
Freezing point	: <0 °C	



Explosion limits (% in air)	:	Not known.
Oxidising properties	:	Not applicable.
Decomposition temperature	:	Not applicable.
Viscosity (20°C)	:	Not known.
Viscosity (40°C)	:	112 mm2/sec
Vapour pressure (20°C)	:	Not known.
Relative vapour density	:	> 1
Relative density (20°C)	:	0,86 g/ml
Evaporation rate	:	Not known.

Does not contain oxidizing substances.

(air = 1)

(n-butyl acetate = 1) Mixture of liquids and solids.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

: Stable under normal conditions. Stability

10.3. Possibility of hazardous reactions

	Reactivity	: No other hazardous reactions known
--	------------	--------------------------------------

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation	
Acute toxicity	 Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 4 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Skin contact	

Skin contact



SAFETY DATA SHEET According to OSHA HazCom 2012, 29 CFR 1910.1200

Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: May cause sensitisation by skin contact. May produce an allergic reaction.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Ingestion	
Acute toxicity	: Calculated LD50: > 2001 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.
11.2. Information on oth	er hazards
IARC	: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

	possible or confirmed human carcinogen by IARC.
OSHA	: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of
	regulated carcinogens.
NTP	: No component of this product present at levels greater than or equal to 0.1% is identified as a known or
	anticipated carcinogen by NTP.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product. Ecotoxicity

: Toxic to aquatic organisms. Calculated LC50 (fish): 96 mg/l. Calculated EC50 (waterflea): 5 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility. Floats on water.

12.7. Other adverse effects

Other adverse effects : Not applicable.



SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: None.
Waste water discharge	: Do not dispose of into the environment, drains, sewers or water courses.
Local legislation	 Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 3082

14.2. UN proper shipping name

Transport name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polysulfides)
Transport name (IMDG,	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polysulfides)
IATA)		

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

DOT (land)	
Class	: 9
Classification code	: M6
Packaging group	: 111
Danger label	: 9 + the "environmentally hazardous substance" mark.
ERG number	:

Other information

: Not intended for carriage by tank-vessels on inland waterways. Single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other requirements provided the packagings meet the general requirements in §§173.24 and 173.24a (49 CFR 171.4). Except when all or part of the transportation is by vessel, the requirements of Hazardous Materials Regulations specific to marine pollutants per 49 CFR 171.4(c)(1), do not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft.

IMDG (sea)

Class
Packaging group
EmS (fire / spill)
Marine pollutant
Other information

: 9 : 111

: F-A/S-F

: Yes : This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).



IATA (air)

Class	: 9
ERG code	: 9L

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol

: Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations : OSHA HazCom 2012, 29 CFR 1910.1200 and other Regulations.

United States TSCA (Toxic Substances Control Act) inventory

: All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

US State Regulation

California Proposition 65

WARNING: This product contains chemicals known to the State of California to cause cancer. WARNING: Contains traces of the following substances known to the state of California to cause cancer, birth defects or other reproductive harm

Chemical name	CAS	Type of toxicity	NSRL or MADL (ug/d)
Naphthalene	91-20-3	cancer	5.8
Cumene	98-82-8	cancer	
Ethylbenzene	100-41-4	cancer	54 (inhalation) 41 (oral)

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Hazcom 1910.1200. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE	: Acute Toxicity Estimate
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
DOT	: Department of Transportation
DSL	: Domestic Substances List
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
HPA	: Hazardous Products Act
HPR	: Hazardous Products Regulations
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population



	. International Convention for the Drevention of Dollution From China	
MARPOL	: International Convention for the Prevention of Pollution From Ships	
NO(A)EL	: No Observed (Adverse) Effect Level	
OECD	: Organisation for Economic Co-operation and Development	
OSHA	: United States Occupational Safety and Health Administration	
PBT	: Persistent, Bioaccumulative and Toxic	
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail	
STP	: Sewage Treatment Plant	
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit	
UN	: United Nations	
VOC	: Volatile Organic Compounds	
vPvB	: Very Persistent and Very Bioaccumulative	
WHMIS		

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc. Also used: OSHA HazCom 2012, 29 CFR 1910.1200.

Full text of H-phrases mentioned in section 3:

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Country / Language code Number format	-	US / EN "," used as decimal separator.
Date of preparation or latest revision	:	2023-05-25 VW

End of safety data sheet.