

SAFETY DATA SHEET

1. Identification

Product identifier	Star Tron SAE 80W90 Gear L	ube
Other means of identification		
Product code	9036XX	
Recommended use	Lubricant.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company name	Star brite Inc.	
Address	4041 SW 47th Avenue	
	Fort Lauderdale, FL 33314 US	
	US	
Telephone	General Information:	(954) 587-6280
E-mail	Not available.	
Contact person	Vincent Waclawek	
Emergency phone number	24-Hour Emergency:	CHEMTREC: (703) 527-3887 or (800) 424-9300

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	None.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash thoroughly after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%	
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	0 - 89	
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	0 - 89	
Long-chain alkyl amine	Proprietary	<0.3	

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.	
Skin contact	Wash with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

Ingestion Most important	Seek medical advice. Direct contact with skin and eyes may cause irritation.
symptoms/effects, acute and delayed	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
5. Fire-fighting measures	
Suitable extinguishing media	Carbon dioxide (CO2). Foam. Dry chemical. Water fog.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	None known.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use water spray to cool unopened containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. In case of spills, beware of slippery floors and surfaces. Wear shoes with non-slip soles. Wear protective clothing as described in Section 8 of this safety data sheet.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas. Dike the spilled material, where this is possible. Clean surface thoroughly to remove residual contamination.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece).
	Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
	Never return spills to original containers for re-use.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water.
7. Handling and storage	
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, Keep container closed.

including any incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	PEL	5 mg/m3	Mist.
Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Distillates (petroleum),	TWA	5 mg/m3	Inhalable fraction.
hydrotreated heavy paraffinic (CAS 64742-54-7)		5 mg/m5	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
, , ,	TWA	5 mg/m3	Mist.
Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
ological limit values	No biological exposure limits noted for	or the ingredient(s).	
opropriate engineering	Provide adequate ventilation. Observinhalation of vapors.	e Occupational Exposure Limi	ts and minimize the risk of
dividual protection measures,	such as personal protective equipm	ent	
Eye/face protection	Use approved safety goggles or face	shield.	
Skin protection			
Hand protection	Wear appropriate chemical resistant	gloves.	
Other	Wear suitable protective clothing.		
Respiratory protection	When workers are facing concentrati certified respirators.	ons above the exposure limit th	ney must use appropriate
Thermal hazards	Not available.		
eneral hygiene onsiderations	Always observe good personal hygie and before eating, drinking, and/or sr equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	Green liquid.	
Physical state	Liquid.	
Form	Liquid.	
Color	Green.	
Odor	Petroleum.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	> 212 °F (> 100 °C)	
Flash point	350.6 °F (177.0 °C) Pensky-Martens Closed Cup	
Evaporation rate	No data available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or expl	losive limits	
Flammability limit - lower (%)	No data available.	
Flammability limit - upper (%)	No data available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	No data available.	
Vapor density	No data available.	
Relative density	0.87 (25°C)	
Solubility(ies)		
Solubility (water)	Insoluble.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	> 840.2 °F (> 449 °C)	

Decomposition temperature	Not available.
Viscosity	40 mm2/s

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	No harmful effects expected in amounts likely to be ingested by accident.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Prolonged skin contact may cause irritation.
Eye contact	Direct contact may irritate.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with skin and eyes may cause irritation.
Information on toxicological effe	cts
Acute toxicity	Not classified.
Skin corrosion/irritation	Direct contact may irritate.
Serious eye damage/eye irritation	Direct contact may irritate.
Respiratory or skin sensitization	
Respiratory sensitization	Not classified.
Skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
12. Ecological information	
Factovicity	Not expected to be hermful to equatio experience

Ecotoxicity	Not expected to be harmful to aquatic organisms.
Persistence and degradability	Not available.
Bioaccumulative potential	Not available.
Mobility in soil	Not available.
Other adverse effects	Not available.

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose of waste and residues in accordance with local authority requirements.
Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is hazardous according to OSHA 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

US state regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)

US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	15-May-2014
Revision date	-
Version #	01
NFPA Ratings	
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Star brite assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Star brite assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.