



# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Revision Date: 05/27/2016

Date of issue: 05/26/2016

Version: 1.1

## SECTION 1: IDENTIFICATION

### Product Identifier

**Product Form:** Mixture

**Product Name:** ProStar Toilet Bowl Cleaner

**Product Code:** 1170XX

### Intended Use of the Product

Toilet/Urinal Care

### Name, Address, and Telephone of the Responsible Party

Starbrite® Inc.

4041 SW 47<sup>th</sup> Avenue

Fort Lauderdale, FL 33314

(954)587-6280

[www.starbrite.com](http://www.starbrite.com)

### Emergency Telephone Number

**Emergency Number** : US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### GHS-US/CA classification

Met. Corr. 1 H290

Skin Corr. 1B H314

Eye Dam. 1 H318

Full text of hazard classes and H-statements : see section 16

### Label Elements

#### GHS-US/CA Labeling

#### Hazard Pictograms (GHS-US/CA)

:



GHS05

#### Signal Word (GHS-US/CA)

: Danger

#### Hazard Statements (GHS-US/CA)

: H290 - May be corrosive to metals.  
H314 - Causes severe skin burns and eye damage.  
H318 - Causes serious eye damage.

#### Precautionary Statements (GHS-US/CA)

: P234 - Keep only in original container.  
P260 - Do not breathe vapors, mist, or spray.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor.  
P321 - Specific treatment (see section 4 on this SDS).  
P363 - Wash contaminated clothing before reuse.  
P390 - Absorb spillage to prevent material damage.  
P391 - Collect spillage.  
P405 - Store locked up.  
P406 - Store in corrosive resistant container with a resistant inner liner.

# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### Other Hazards



GHS09

Aquatic Acute 2 H401

Aquatic Chronic 2 H411

H401 - Toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

P273 - Avoid release to the environment.

Exposure may aggravate pre-existing eye, skin, or respiratory conditions. May be corrosive to respiratory tract.

**Unknown Acute Toxicity** Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

| Name   | Product Identifier  | % *         | GHS Ingredient Classification  |
|--|---------------------|-------------|--|
| Hydrochloric acid                                  | (CAS No) 7647-01-0  | 2.07 - 8.28 | Met. Corr. 1, H290<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>Aquatic Acute 2, H401                |
| Amines, tallow alkyl, ethoxylated                  | (CAS No) 61791-26-2 | 1.25 - 2    | Acute Tox. 4 (Oral), H302<br>Skin Corr. 1C, H314<br>Eye Dam. 1, H318<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| Amines, N-tallow alkyltrimethylenedi-, ethoxylated | (CAS No) 61790-85-0 | 0.5 - 1.25  | Acute Tox. 4 (Oral), H302<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |

Full text of H-phrases: see section 16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

## SECTION 4: FIRST AID MEASURES

### Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** Remove person to fresh air and keep comfortable for breathing. When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Immediately flush skin with plenty of water for at least 60 minutes. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor.

**Eye Contact:** Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes severe skin burns and eye damage. Causes serious eye damage.

**Inhalation:** May be corrosive to the respiratory tract.

# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Skin Contact:** Causes severe irritation which will progress to chemical burns.

**Eye Contact:** Causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva.

**Ingestion:** May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

**Chronic Symptoms:** None known.

### **Indication of Any Immediate Medical Attention and Special Treatment Needed**

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## **SECTION 5: FIRE FIGHTING MEASURES**

### **Extinguishing Media**

**Suitable Extinguishing Media:** Water spray, dry chemical, foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### **Special Hazards Arising From the Substance or Mixture**

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Contact with metallic substances may release flammable hydrogen gas.

**Reactivity:** May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. Adding an acid to a base or base to an acid may cause a violent reaction.

### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Hydrogen. Chlorine oxides.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

### **Reference to Other Sections**

Refer to section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

#### **For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Ventilate spillage area. Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

### **Methods and Materials for Containment and Cleaning Up**

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage. Absorb and/or contain spill with inert material. Cautiously neutralize spilled liquid. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

**Other information:** Dispose of materials or solid residues at an authorized site.

### **Reference to Other Sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Additional Hazards When Processed:** May be corrosive to metals. May release corrosive vapors.

# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle empty containers with care because they may still present a hazard. Do not get in eyes, on skin, or on clothing. Do not breathe mist, spray, and vapors.

**Hygiene Measures:** Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Handle in accordance with good industrial hygiene and safety procedures.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in original container or corrosive resistant and/or lined container.

**Incompatible Materials:** Strong bases. Strong oxidizers. Alkaline products. Metals.

### **Specific End Use(s)**

Toilet/Urinal Care

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

| <b>Hydrochloric acid (7647-01-0)</b> |  |  |
|--------------------------------------|--|--|
| <b>Mexico</b>                        | OEL Ceiling (mg/m <sup>3</sup> )         | 7 mg/m <sup>3</sup>                    |
| <b>Mexico</b>                        | OEL Ceiling (ppm)                        | 5 ppm                                  |
| <b>USA ACGIH</b>                     | ACGIH Ceiling (ppm)                      | 2 ppm                                  |
| <b>USA ACGIH</b>                     | ACGIH chemical category                  | Not Classifiable as a Human Carcinogen |
| <b>USA OSHA</b>                      | OSHA PEL (Ceiling) (mg/m <sup>3</sup> )  | 7 mg/m <sup>3</sup>                    |
| <b>USA OSHA</b>                      | OSHA PEL (Ceiling) (ppm)                 | 5 ppm                                  |
| <b>USA NIOSH</b>                     | NIOSH REL (ceiling) (mg/m <sup>3</sup> ) | 7 mg/m <sup>3</sup>                    |
| <b>USA NIOSH</b>                     | NIOSH REL (ceiling) (ppm)                | 5 ppm                                  |
| <b>USA IDLH</b>                      | US IDLH (ppm)                            | 50 ppm                                 |
| <b>Alberta</b>                       | OEL Ceiling (mg/m <sup>3</sup> )         | 3 mg/m <sup>3</sup>                    |
| <b>Alberta</b>                       | OEL Ceiling (ppm)                        | 2 ppm                                  |
| <b>British Columbia</b>              | OEL Ceiling (ppm)                        | 2 ppm                                  |
| <b>Manitoba</b>                      | OEL Ceiling (ppm)                        | 2 ppm                                  |
| <b>New Brunswick</b>                 | OEL Ceiling (mg/m <sup>3</sup> )         | 7.5 mg/m <sup>3</sup>                  |
| <b>New Brunswick</b>                 | OEL Ceiling (ppm)                        | 5 ppm                                  |
| <b>Newfoundland &amp; Labrador</b>   | OEL Ceiling (ppm)                        | 2 ppm                                  |
| <b>Nova Scotia</b>                   | OEL Ceiling (ppm)                        | 2 ppm                                  |
| <b>Nunavut</b>                       | OEL Ceiling (mg/m <sup>3</sup> )         | 7.5 mg/m <sup>3</sup>                  |
| <b>Nunavut</b>                       | OEL Ceiling (ppm)                        | 5 ppm                                  |
| <b>Northwest Territories</b>         | OEL Ceiling (ppm)                        | 2 ppm                                  |
| <b>Ontario</b>                       | OEL Ceiling (ppm)                        | 2 ppm                                  |
| <b>Prince Edward Island</b>          | OEL Ceiling (ppm)                        | 2 ppm                                  |
| <b>Québec</b>                        | PLAFOND (mg/m <sup>3</sup> )             | 7.5 mg/m <sup>3</sup>                  |
| <b>Québec</b>                        | PLAFOND (ppm)                            | 5 ppm                                  |
| <b>Saskatchewan</b>                  | OEL Ceiling (ppm)                        | 2 ppm                                  |
| <b>Yukon</b>                         | OEL Ceiling (mg/m <sup>3</sup> )         | 7 mg/m <sup>3</sup>                    |
| <b>Yukon</b>                         | OEL Ceiling (ppm)                        | 5 ppm                                  |

### **Exposure Controls**

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Personal Protective Equipment:** Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection. Face shield.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics. Corrosion-proof clothing.

**Hand Protection:** Wear protective gloves.

**Eye Protection:** Chemical safety goggles and face shield.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

**Environmental Exposure Controls:** Avoid release to the environment.

**Other Information:** When using, do not eat, drink or smoke

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

|  |                     |
|--|---------------------|
| Physical State                         | : Liquid            |
| Appearance                             | : Blue              |
| Odor                                   | : Characteristic    |
| Odor Threshold                         | : Not available     |
| pH                                     | : 1                 |
| Evaporation Rate                       | : Not available     |
| Melting Point                          | : Not applicable    |
| Freezing Point                         | : Not available     |
| Boiling Point                          | : Not available     |
| Flash Point                            | : Not available     |
| Auto-ignition Temperature              | : Not available     |
| Decomposition Temperature              | : Not available     |
| Flammability (solid, gas)              | : Not available     |
| Lower Flammable Limit                  | : Not available     |
| Upper Flammable Limit                  | : Not available     |
| Vapor Pressure                         | : Not available     |
| Relative Vapor Density at 20°C         | : Not available     |
| Relative Density                       | : Not available     |
| Specific Gravity                       | : 1.031             |
| Solubility                             | : Soluble in water. |
| Partition Coefficient: N-Octanol/Water | : Not available     |
| Viscosity                              | : 2000 cP           |

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

**Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.

**Incompatible Materials:** Strong bases. Strong oxidizers. Alkalis. Alkaline substances. Metals. May be corrosive to metals.

**Hazardous Decomposition Products:** Thermal decomposition generates: Corrosive vapors. Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Hydrogen. Chlorine oxides.

# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Causes severe skin burns and eye damage.

**pH:** 1

**Eye Damage/Irritation:** Causes serious eye damage.

**pH:** 1

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** May be corrosive to the respiratory tract.

**Symptoms/Injuries After Skin Contact:** Causes severe irritation which will progress to chemical burns.

**Symptoms/Injuries After Eye Contact:** Causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva.

**Symptoms/Injuries After Ingestion:** May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

**Chronic Symptoms:** None known.

#### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

|  |                          |
|--|--------------------------|
| <b>Hydrochloric acid (7647-01-0)</b>                                   |                          |
| <b>LD50 Dermal Rabbit</b>  | > 5010 mg/kg             |
| <b>Amines, tallow alkyl, ethoxylated (61791-26-2)</b>                  |                          |
| <b>LD50 Oral Rat</b>   | 500 mg/kg                |
| <b>Amines, N-tallow alkyltrimethylenedi-, ethoxylated (61790-85-0)</b> |                          |
| <b>ATE US/CA (oral)</b>  | 500.00 mg/kg body weight |
| <b>Hydrochloric acid (7647-01-0)</b>                                   |                          |
| <b>IARC Group</b>  | 3                        |

### SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity

**Ecology - General:** Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

|                                      |   |
|--------------------------------------|---|
| <b>Hydrochloric acid (7647-01-0)</b> |   |
| <b>LC50 Fish 1</b>                   | 7.45 mg/l (Species: Oncorhynchus mykiss - Exposure time: 96h) |

#### Persistence and Degradability

|                                      |   |
|--------------------------------------|---|
| <b>ProStar Toilet Bowl Cleaner</b>   |   |
| <b>Persistence and Degradability</b> | May cause long-term adverse effects in the environment. |

#### Bioaccumulative Potential

|                                    |                  |
|------------------------------------|------------------|
| <b>ProStar Toilet Bowl Cleaner</b> |                  |
| <b>Bioaccumulative Potential</b>   | Not established. |

**Mobility in Soil:** Not available

#### Other Adverse Effects

**Other Information:** Avoid release to the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations

# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

### In Accordance with DOT

**Proper Shipping Name** : CORROSIVE LIQUIDS, N.O.S. (Hydrochloric acid)  
**Hazard Class** : 8  
**Identification Number** : UN1760  
**Label Codes** : 8  
**Packing Group** : II  
**Marine Pollutant** : Yes  
**ERG Number** : 154  
**Other Information** : This product meets the limited quantity exceptions as follows: DOT: Not regulated as dangerous goods except when shipped in quantities greater than 1L. Otherwise, the above description applies.



### In Accordance with IMDG

**Proper Shipping Name** : CORROSIVE LIQUID, N.O.S. (Hydrochloric acid)  
**Hazard Class** : 8  
**Identification Number** : UN1760  
**Label Codes** : 8  
**Packing Group** : II  
**EmS-No. (Fire)** : F-A  
**EmS-No. (Spillage)** : S-B  
**Marine pollutant** : Yes



### In Accordance with IATA

**Proper Shipping Name** : CORROSIVE LIQUID, N.O.S. (Hydrochloric acid)  
**Identification Number** : 8  
**Hazard Class** : UN1760  
**Label Codes** : 8  
**Packing Group** : II  
**ERG Code (IATA)** : 8L



### In Accordance with TDG

**Proper Shipping Name** : CORROSIVE LIQUID, N.O.S. (Hydrochloric acid)  
**Hazard Class** : 8  
**Identification Number** : UN1760  
**Label Codes** : 8  
**Packing Group** : II  
**Marine Pollutant (TDG)** : Yes



## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations

|                                     |                                 |
|-------------------------------------|---------------------------------|
| ProStar Toilet Bowl Cleaner         |                                 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |

# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

|  |  |
|--|--|
| <b>Hydrochloric acid (7647-01-0)</b>   |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on the United States SARA Section 302<br>Subject to reporting requirements of United States SARA Section 313 |  |
| <b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>  | 500 (gas only)   |
| <b>SARA Section 313 - Emission Reporting</b>   | 1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size) |

|   |  |
|---|--|
| <b>Amines, tallow alkyl, ethoxylated (61791-26-2)</b>                     |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Amines, N-tallow alkyltrimethylenedi-, ethoxylated (61790-85-0)</b>    |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |

### US State Regulations

|  |
|--|
| <b>Hydrochloric acid (7647-01-0)</b>   |
| U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute<br>U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Chronic<br>U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728)<br>U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)<br>U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)<br>U.S. - Delaware - Accidental Release Prevention Regulations - Sufficient Quantities<br>U.S. - Delaware - Accidental Release Prevention Regulations - Threshold Quantities<br>U.S. - Delaware - Accidental Release Prevention Regulations - Toxic Endpoints<br>U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities<br>U.S. - Florida - Essential Chemicals List<br>U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations<br>U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)<br>U.S. - Idaho - Occupational Exposure Limits - Ceilings<br>U.S. - Illinois - Toxic Air Contaminants<br>U.S. - Louisiana - Reportable Quantity List for Pollutants<br>U.S. - Maine - Air Pollutants - Hazardous Air Pollutants<br>U.S. - Massachusetts - Allowable Ambient Limits (AALs)<br>U.S. - Massachusetts - Allowable Threshold Concentrations (ATCs)<br>U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1<br>U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2<br>U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity<br>U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1<br>U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2<br>RTK - U.S. - Massachusetts - Right To Know List<br>U.S. - Massachusetts - Threshold Effects Exposure Limits (TELs)<br>U.S. - Massachusetts - Toxics Use Reduction Act<br>U.S. - Michigan - Occupational Exposure Limits - Ceilings<br>U.S. - Michigan - Polluting Materials List<br>U.S. - Michigan - Process Safety Management Highly Hazardous Chemicals<br>U.S. - Minnesota - Chemicals of High Concern<br>U.S. - Minnesota - Hazardous Substance List<br>U.S. - Minnesota - Permissible Exposure Limits - Ceilings<br>U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour<br>U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual<br>U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances<br>U.S. - New Jersey - Environmental Hazardous Substances List<br>RTK - U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - New Jersey - Special Health Hazards Substances List<br>U.S. - New Jersey - TCPA - Extraordinarily Hazardous Substances (EHS) |



# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

U.S. - New York - Occupational Exposure Limits - Ceilings  
 U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances  
 U.S. - North Carolina - Control of Toxic Air Pollutants  
 U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour  
 U.S. - Ohio - Accidental Release Prevention - Threshold Quantities  
 U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities  
 U.S. - Oregon - Permissible Exposure Limits - Ceilings  
 U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups  
 RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 RTK - U.S. - Pennsylvania - RTK (Right to Know) List  
 U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - 1-Hour  
 U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - Annual  
 U.S. - South Carolina - Toxic Air Pollutants - Maximum Allowable Concentrations  
 U.S. - South Carolina - Toxic Air Pollutants - Pollutant Categories  
 U.S. - Tennessee - Occupational Exposure Limits - Ceilings  
 U.S. - Texas - Effects Screening Levels - Long Term  
 U.S. - Texas - Effects Screening Levels - Short Term  
 U.S. - Vermont - Permissible Exposure Limits - Ceilings  
 U.S. - Washington - Permissible Exposure Limits - Ceilings  
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet  
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet  
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater  
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet  
 U.S. - Wyoming - Process Safety Management - Highly Hazardous Chemicals

### Amines, tallow alkyl, ethoxylated (61791-26-2)

U.S. - Texas - Effects Screening Levels - Long Term  
 U.S. - Texas - Effects Screening Levels - Short Term

### Amines, N-tallow alkyltrimethylenedi-, ethoxylated (61790-85-0)

U.S. - Texas - Effects Screening Levels - Long Term  
 U.S. - Texas - Effects Screening Levels - Short Term

## Canadian Regulations

### Hydrochloric acid (7647-01-0)

Listed on the Canadian DSL (Domestic Substances List)

### Amines, tallow alkyl, ethoxylated (61791-26-2)

Listed on the Canadian DSL (Domestic Substances List)

### Amines, N-tallow alkyltrimethylenedi-, ethoxylated (61790-85-0)

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 05/27/2016

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

### GHS Full Text Phrases:

|                     |  |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4                                 |
| Aquatic Acute 1     | Hazardous to the aquatic environment - Acute Hazard Category 1   |
| Aquatic Acute 2     | Hazardous to the aquatic environment - Acute Hazard Category 2   |
| Aquatic Acute 3     | Hazardous to the aquatic environment - Acute Hazard Category 3   |
| Aquatic Chronic 1   | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 2   | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Aquatic Chronic 3   | Hazardous to the aquatic environment - Chronic Hazard Category 3 |


# ProStar Toilet Bowl Cleaner

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

|               |   |
|---------------|---|
| Eye Dam. 1    | Serious eye damage/eye irritation Category 1                |
| Met. Corr. 1  | Corrosive to metals Category 1                              |
| Skin Corr. 1B | Skin corrosion/irritation Category 1B                       |
| Skin Corr. 1C | Skin corrosion/irritation Category 1C                       |
| STOT SE 3     | Specific target organ toxicity (single exposure) Category 3 |
| H290          | May be corrosive to metals                                  |
| H302          | Harmful if swallowed  |
| H314          | Causes severe skin burns and eye damage                     |
| H318          | Causes serious eye damage                                   |
| H335          | May cause respiratory irritation                            |
| H400          | Very toxic to aquatic life                                  |
| H401          | Toxic to aquatic life                                       |
| H402          | Harmful to aquatic life                                     |
| H410          | Very toxic to aquatic life with long lasting effects        |
| H411          | Toxic to aquatic life with long lasting effects             |
| H412          | Harmful to aquatic life with long lasting effects           |

- NFPA Health Hazard** : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
- NFPA Fire Hazard** : 1 - Must be preheated before ignition can occur.
- NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS 2015